

FS 2.60/9:14/26

COMMUNICABLE DISEASE CENTER

Morbidity and Mortality



Vol. 14, No. 26

WEEKLY
REPORTWeek Ending
July 3, 1965

U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE

PUBLIC HEALTH SERVICE

POLIOMYELITIS

The report from Texas of 5 cases of poliomyelitis, 3 paralytic, for the week ending July 3, 1965, focuses attention on the concentration of cases of poliomyelitis in southwestern United States. Out of a total of 26 cases in the U.S. this year, 17, or 65.4 percent, have occurred in this southwestern area. Of these 17 cases reported, 4 have been in Arizona, one each in Oklahoma, California and New Mexico, and 9 in Texas.

An analysis of the 9 cases reported from Texas is in the table on page 224. The sporadic nature of the cases is supported by the lack of geographical concentration

CONTENTS

Poliomyelitis	217
Meningococcal Infection	218
Reported Cases of Encephalitis	219
Reported Cases of Infectious Syphilis	219

and time relationship. Spread throughout 7 counties, one case occurred in January, one in March, two in April, three in May, and two in June. Of these, only one individual had been immunized.


Table 1. CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES
(Cumulative totals include revised and delayed reports through previous weeks)

DISEASE	26th WEEK ENDED		MEDIAN 1960 - 1964	CUMULATIVE, FIRST 26 WEEKS		
	JULY 3, 1965	JUNE 27, 1964		1965	1964	MEDIAN 1960 - 1964
Aseptic meningitis	31	38	39	723	763	706
Brucellosis	3	7	9	120	193	204
Diphtheria	3	2	4	83	138	219
Encephalitis, primary infectious ..	26	60	---	768	943	---
Encephalitis, post-infectious ..	9	39	---	416	529	---
Hepatitis, infectious including serum hepatitis	473	598	651	18,158	21,448	23,666
Measles	3,020	6,803	7,525	227,184	441,270	365,536
Meningococcal infections	39	44	43	1,961	1,599	1,261
Poliomyelitis, Total	5	6	21	26	44	207
Paralytic	3	3	11	20	33	155
Nonparalytic	2	1	---	6	8	---
Unspecified	—	2	---	—	3	---
Streptococcal Sore Throat and Scarlet fever	4,574	5,172	3,750	244,441	251,397	207,894
Tetanus	8	7	---	115	123	---
Tularemia	3	7	---	118	144	---
Typhoid fever	7	7	15	187	176	246
Rabies in Animals	64	79	73	2,453	2,403	2,045

Table 2. NOTIFIABLE DISEASES OF LOW FREQUENCY

	Cum.		Cum.
Anthrax:	6	Rabies in Man:	1
Botulism:	8	Smallpox:	1
Leptospirosis:	17	Trichinosis: NY Upstate-1, Ill.-1, Calif.-1	60
Malaria:	35	Typhus—	
Plague:	—	Murine: Texas-3	13
Psittacosis: Wisc.-1, Calif.-1	21	Rky. Mt. Spotted: N.J.-1, Ill.-1, Md.-1, Ohio-1, N.C.-6, ..	86
Cholera:	1	Ky.-1, Pa.-5, Colo.-1, Tenn.-1	

MENINGOCOCCAL INFECTIONS BY WEEK OF REPORT 1965 AND MEDIAN, 1960-64 UNITED STATES



MENINGOCOCCAL INFECTION

A total of 1,961 cases of meningococcal infection has been reported in the United States through the 26th week of 1965, an increase of 22.6 percent over the 1,599 cases reported during the same period in 1964. (Table I) Figure 1 shows the weekly number of reported cases in 1965 and the median number of cases during the preceding 5-year interval, 1960-1964. During May and June the number of reported cases decreased sharply and is currently at or near the seasonal low. However, this remains slightly elevated over the median values of the past 5 years. Thus far this year only 167 meningococcal infections, 8.5 percent of the total, have been reported through State Health Departments from military bases.

Table I. Meningococcal Infection (Cumulated Weekly)

	1965	1964	1963	1962	1961
Through 26th Week*	1961	1599	1448	1215	1211
Annual Total		2874*	2470	2150	2232

* Preliminary

In contrast, 14.3 percent of all reported meningococcal infections in 1964 were reported from military installations. States reporting military-associated cases most frequently are shown in Table II, and are, as before, those States in which are located large installations, especially recruit training centers. (MMWR, Vol. 14, No. 14)

Table II. Meningococcal Infection in Military Personnel*
Through 26th Week, 1965

State	Total	Military	Percent
South Carolina	55	27	49.1
Missouri	47	21	44.7
Kentucky	63	25	39.7
Georgia	51	8	15.7
New Jersey	73	8	11.0
Louisiana	159	17	10.7
California	280	24	8.6

* For those states with at least 8% of total cases in military personnel.

Morbidity and Mortality Weekly Report

REPORTED CASES OF POST-INFECTIOUS AND POST-IMMUNIZATION ENCEPHALITIS,
EIGHT WEEK PERIOD ENDING 6/19/65

State	Mumps	Chickenpox	Measles	Rubella	Herpes Simplex	Pertussis	Influenza	Mononucleosis	Respiratory Syncytial	Post-Immunization	
										Rabies	Vaccinia
Arkansas	2		1								
California	43	7	4	3	2			1			
Connecticut	1	1	1								
Florida	10		1								
Illinois	6	2	1								1
Louisiana	3		1								
Maryland			1								
Massachusetts		1									
Michigan			2								
Minnesota	4							1			
Missouri					1						
Montana	1										
New York, Upstate	7		1								
Pennsylvania	4	1	7	1							
Rhode Island	4	1									
Tennessee	2	1	1								
Texas	6	1									
Utah	1										
Vermont			1								
Virginia	4										
Washington	3										
U. S. Total	101	15	22	4	3	0	0	2	0	0	1
U. S. Cumulative Total (weeks 1-24):											
1965*	243	57	63	10	5	0	2	2	0	0	4
1964**	267	35	139	21	2	1	6	0	1	0	1

*Includes revised and delayed reports

(States not reporting a case not listed)

**Corresponding period in 1964

SUMMARY OF REPORTED CASES OF INFECTIOUS SYPHILIS MAY 1965 AND MAY 1964
CASES OF PRIMARY AND SECONDARY SYPHILIS: By Reporting Area May 1965 and May 1964 - Provisional Data

Reporting Area	MAY		Cumulative JAN-MAY		Reporting Area	MAY		Cumulative JAN-MAY	
	1965	1964	1965	1964		1965	1964	1965	1964
NEW ENGLAND.....	39	43	196	201	EAST SOUTH CENTRAL.....	240	153	1,085	628
Maine.....	-	-	2	1	Kentucky.....	12	16	62	56
New Hampshire.....	7	-	14	6	Tennessee.....	48	37	246	183
Vermont.....	1	2	1	4	Alabama.....	125	64	554	295
Massachusetts.....	21	27	117	119	Mississippi.....	55	36	223	94
Rhode Island.....	1	1	9	6	WEST SOUTH CENTRAL.....	212	215	955	1,048
Connecticut.....	9	13	53	65	Arkansas.....	20	14	102	83
MIDDLE ATLANTIC.....	381	404	1,933	2,263	Louisiana.....	67	67	274	267
Upstate New York.....	36	48	208	290	Oklahoma.....	12	8	61	53
New York City.....	231	223	1,167	1,316	Texas.....	113	126	518	645
Pa. (Excl. Phila.).....	8	11	71	52	MOUNTAIN.....	46	35	247	225
Philadelphia.....	23	29	110	147	Montana.....	2	2	8	7
New Jersey.....	83	93	377	458	Idaho.....	-	-	1	3
EAST NORTH CENTRAL.....	208	176	1,242	921	Wyoming.....	2	1	2	7
Ohio.....	45	40	259	223	Colorado.....	4	3	14	10
Indiana.....	5	1	25	25	New Mexico.....	10	12	50	98
Downstate Illinois.....	14	12	101	61	Arizona.....	22	16	135	82
Chicago.....	83	82	508	368	Utah.....	-	1	8	5
Michigan.....	53	36	318	228	Nevada.....	6	-	29	13
Wisconsin.....	8	5	31	16	PACIFIC.....	162	150	839	1,007
WEST NORTH CENTRAL.....	52	37	213	235	Washington.....	4	5	37	26
Minnesota.....	12	14	42	63	Oregon.....	4	4	16	33
Iowa.....	3	4	10	14	California.....	150	140	772	938
Missouri.....	25	12	108	100	Alaska.....	1	1	4	5
North Dakota.....	1	-	1	-	Hawaii.....	3	-	10	5
South Dakota.....	4	3	23	23	U. S. TOTAL.....	1,900	1,818	9,513	9,366
Nebraska.....	6	3	24	22	TERRITORIES.....	59	58	320	327
Kansas.....	1	1	5	13	Puerto Rico.....	57	56	317	316
SOUTH ATLANTIC.....	560	605	2,803	2,838	Virgin Islands.....	2	2	3	11
Delaware.....	2	2	25	39					
Maryland.....	29	35	163	218					
District of Columbia.....	48	53	210	294					
Virginia.....	16	22	129	114					
West Virginia.....	9	2	28	18					
North Carolina.....	87	107	429	425					
South Carolina.....	79	70	353	381					
Georgia.....	74	110	443	503					
Florida.....	216	204	1,023	846					

Note: Cumulative Totals include revised and delayed reports through previous months.

Table 3. CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES
FOR WEEKS ENDED
JULY 3, 1965 AND JUNE 27, 1964 (26th WEEK)

Area	Aseptic Meningitis		Encephalitis		Poliomyelitis						Diphtheria	
			Primary	Post-Inf.	Total Cases			Paralytic				Cum.
	Cumulative							Cumulative				
	1965	1964			1965	1965	1965	1965	1964	1965		
UNITED STATES...	31	38	26	9	5	26	44	3	20	33	3	83
NEW ENGLAND.....	-	2	2	-	-	-	1	-	-	1	-	1
Maine.....	-	1	-	-	-	-	1	-	-	1	-	-
New Hampshire.....	-	-	-	-	-	-	-	-	-	-	-	-
Vermont.....	-	-	-	-	-	-	-	-	-	-	-	-
Massachusetts.....	-	1	2	-	-	-	-	-	-	-	-	1
Rhode Island.....	-	-	-	-	-	-	-	-	-	-	-	-
Connecticut.....	-	-	-	-	-	-	-	-	-	-	-	-
MIDDLE ATLANTIC.....	4	5	4	-	-	1	5	-	-	5	-	4
New York City.....	2	2	2	-	-	1	1	-	-	1	-	2
New York, Up-State.....	-	-	1	-	-	-	2	-	-	2	-	-
New Jersey.....	1	1	-	-	-	-	2	-	-	2	-	-
Pennsylvania.....	1	2	1	-	-	-	-	-	-	-	-	2
EAST NORTH CENTRAL...	1	12	5	-	-	1	5	-	-	4	-	3
Ohio.....	-	1	2	-	-	-	2	-	-	2	-	1
Indiana.....	-	-	3	-	-	-	-	-	-	-	-	2
Illinois.....	-	6	-	-	-	1	2	-	-	2	-	-
Michigan.....	-	5	-	-	-	-	1	-	-	-	-	-
Wisconsin.....	1	-	-	-	-	-	-	-	-	-	-	-
WEST NORTH CENTRAL...	-	3	-	-	-	4	3	-	4	2	-	18
Minnesota.....	-	3	-	-	-	1	1	-	1	1	-	7
Iowa.....	-	-	-	-	-	-	-	-	-	-	-	1
Missouri.....	-	-	-	-	-	-	2	-	-	1	-	1
North Dakota.....	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota.....	-	-	-	-	-	-	-	-	-	-	-	7
Nebraska.....	-	-	-	-	-	3	-	-	3	-	-	1
Kansas.....	-	-	-	-	-	-	-	-	-	-	-	1
SOUTH ATLANTIC.....	3	-	2	3	-	-	16	-	-	11	3	21
Delaware.....	-	-	-	-	-	-	-	-	-	-	-	-
Maryland.....	1	-	-	-	-	-	1	-	-	1	-	-
Dist. of Columbia..	-	-	-	-	-	-	-	-	-	-	-	3
Virginia.....	1	-	1	2	-	-	-	-	-	-	-	-
West Virginia.....	-	-	-	-	-	-	1	-	-	1	-	-
North Carolina.....	-	-	-	-	-	-	8	-	-	4	-	1
South Carolina.....	-	-	1	-	-	-	-	-	-	-	-	-
Georgia.....	-	-	-	-	-	-	1	-	-	1	3	11
Florida.....	1	-	-	1	-	-	5	-	-	4	-	6
EAST SOUTH CENTRAL...	1	2	3	-	-	-	4	-	-	3	-	12
Kentucky.....	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee.....	1	-	1	-	-	-	2	-	-	1	-	-
Alabama.....	-	2	-	-	-	-	2	-	-	2	-	11
Mississippi.....	-	-	2	-	-	-	-	-	-	-	-	1
WEST SOUTH CENTRAL...	9	4	4	-	5	10	2	3	8	2	-	19
Arkansas.....	-	-	2	-	-	-	-	-	-	-	-	2
Louisiana.....	-	2	2	-	-	1	-	-	1	-	-	2
Oklahoma.....	1	1	-	-	-	-	1	-	-	1	-	-
Texas.....	8	1	-	-	5	9	1	3	7	1	-	15
MOUNTAIN.....	-	-	2	-	-	5	6	-	3	3	-	-
Montana.....	-	-	-	-	-	-	-	-	-	-	-	-
Idaho.....	-	-	-	-	-	-	-	-	-	-	-	-
Wyoming.....	-	-	-	-	-	-	2	-	-	2	-	-
Colorado.....	-	-	-	-	-	-	1	-	-	1	-	-
New Mexico.....	-	-	-	-	-	1	3	-	1	-	-	-
Arizona.....	-	-	-	-	-	4	-	-	2	-	-	-
Utah.....	-	-	2	-	-	-	-	-	-	-	-	-
Nevada.....	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC.....	13	10	4	6	-	5	2	-	5	2	-	5
Washington.....	1	-	-	-	-	3	-	-	3	-	-	-
Oregon.....	2	-	-	-	-	1	1	-	1	1	-	1
California.....	10	9	3	6	-	1	1	-	1	1	-	4
Alaska.....	-	1	-	-	-	-	-	-	-	-	-	-
Hawaii.....	-	-	1	-	-	-	-	-	-	-	-	-
Puerto Rico	-	-	-	1	-	-	-	-	-	-	-	6

Morbidity and Mortality Weekly Report

221

Table 3. CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES
FOR WEEKS ENDED
JULY 3, 1965 AND JUNE 27, 1964 (26th WEEK) — Continued

Area	Brucel- losis	Infectious Hepatitis including Serum Hepatitis					Meningococcal Infections			Tetanus	
		Total incl. unk.	Under 20 years	20 years and over	Cumulative Totals		1965	Cumulative		1965	Cum.
		1965	1965	1965	1965	1964		1965	1964		1965
UNITED STATES...	3	473	214	243	18,158	21,448	39	1,961	1,599	8	115
NEW ENGLAND.....	-	22	10	10	1,100	2,170	2	97	43	-	5
Maine.....	-	2	-	-	207	723	-	11	5	-	-
New Hampshire.....	-	-	-	-	101	156	-	5	-	-	1
Vermont.....	-	2	-	2	63	269	-	2	1	-	-
Massachusetts.....	-	10	5	5	422	446	2	34	19	-	3
Rhode Island.....	-	2	2	-	139	116	-	14	5	-	-
Connecticut.....	-	6	3	3	168	460	-	31	13	-	1
MIDDLE ATLANTIC.....	-	111	45	66	3,179	4,888	5	264	194	-	8
New York City.....	-	25	5	20	601	712	1	45	26	-	-
New York, Up-State..	-	35	24	11	1,276	2,217	2	67	54	-	3
New Jersey.....	-	21	4	17	587	872	-	73	68	-	-
Pennsylvania.....	-	30	12	18	715	1,087	2	79	46	-	5
EAST NORTH CENTRAL...	1	79	39	37	3,517	3,259	8	256	221	-	9
Ohio.....	-	30	19	10	1,008	855	3	70	60	-	1
Indiana.....	-	9	4	5	294	287	1	36	34	-	5
Illinois.....	1	9	4	4	656	559	1	64	55	-	1
Michigan.....	-	23	10	13	1,334	1,322	2	56	47	-	-
Wisconsin.....	-	8	2	5	225	236	1	30	25	-	2
WEST NORTH CENTRAL...	-	15	6	9	1,151	1,193	-	103	96	-	8
Minnesota.....	-	-	-	-	114	109	-	20	22	-	5
Iowa.....	-	4	1	3	431	174	-	6	6	-	1
Missouri.....	-	5	3	2	228	304	-	47	48	-	1
North Dakota.....	-	2	-	2	17	45	-	7	9	-	-
South Dakota.....	-	-	-	-	16	105	-	2	-	-	-
Nebraska.....	-	-	-	-	38	28	-	10	5	-	1
Kansas.....	-	4	2	2	307	428	-	11	6	-	-
SOUTH ATLANTIC.....	2	51	17	30	1,874	2,034	7	387	339	3	32
Delaware.....	-	1	1	-	59	41	-	5	4	-	-
Maryland.....	-	11	4	7	356	395	1	38	23	-	1
Dist. of Columbia..	-	2	-	2	23	32	-	6	10	-	-
Virginia.....	-	9	2	6	450	301	-	46	38	1	6
West Virginia.....	1	7	3	3	286	332	-	23	24	-	1
North Carolina.....	-	2	2	-	152	374	2	72	57	1	3
South Carolina.....	-	4	-	3	75	71	2	55	48	-	3
Georgia.....	1	2	-	2	65	47	-	51	44	-	4
Florida.....	-	13	5	7	408	441	2	91	91	1	14
EAST SOUTH CENTRAL...	-	38	22	15	1,303	1,465	6	154	141	3	18
Kentucky.....	-	8	5	2	444	613	2	63	48	1	4
Tennessee.....	-	15	11	4	468	513	1	46	46	-	5
Alabama.....	-	7	4	3	222	215	1	30	30	2	8
Mississippi.....	-	8	2	6	169	124	2	15	17	-	1
WEST SOUTH CENTRAL...	-	39	24	15	1,549	1,594	3	284	197	1	21
Arkansas.....	-	2	1	1	216	171	-	14	16	-	4
Louisiana.....	-	5	1	4	265	363	2	159	99	1	3
Oklahoma.....	-	-	-	-	38	84	-	17	5	-	1
Texas.....	-	32	22	10	1,030	976	1	94	77	-	13
MOUNTAIN.....	-	16	4	6	1,094	1,314	-	60	55	-	2
Montana.....	-	1	-	1	81	119	-	2	-	-	-
Idaho.....	-	-	-	-	157	144	-	7	3	-	-
Wyoming.....	-	-	-	-	32	45	-	4	3	-	-
Colorado.....	-	8	4	4	223	355	-	13	11	-	1
New Mexico.....	-	1	-	1	232	191	-	10	22	-	-
Arizona.....	-	4	-	-	210	301	-	16	3	-	1
Utah.....	-	2	-	-	153	118	-	6	5	-	-
Nevada.....	-	-	-	-	6	41	-	2	8	-	-
PACIFIC.....	-	102	47	55	3,391	3,531	8	356	313	1	12
Washington.....	-	2	1	1	279	399	1	28	25	-	-
Oregon.....	-	12	4	8	283	591	-	28	18	1	3
California.....	-	84	41	43	2,649	2,558	7	280	255	-	9
Alaska.....	-	2	1	1	153	113	-	13	6	-	-
Hawaii.....	-	2	-	2	27	70	-	7	9	-	-
Puerto Rico	-	32	26	6	674	503	-	4	30	-	18

Morbidity and Mortality Weekly Report

Table 3. CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES
FOR WEEKS ENDED
JULY 3, 1965 AND JUNE 27, 1964 (26th WEEK) — Continued

Area	Measles			Strept. Sore Th. & Scarlet Fev.	Tularemia		Typhoid Fever		Rabies in Animals	
	1965	Cumulative			1965	Cum. 1965	1965	Cum. 1965	1965	Cum. 1965
		1965	1964							
UNITED STATES...	3,020	227,184	441,270	4,574	3	118	7	187	64	2,453
NEW ENGLAND.....	258	36,252	15,129	637	-	-	-	3	-	30
Maine.....	40	2,730	2,585	86	-	-	-	-	-	3
New Hampshire.....	-	376	231	2	-	-	-	-	-	1
Vermont.....	16	1,148	2,136	3	-	-	-	-	-	24
Massachusetts.....	78	19,080	4,566	53	-	-	-	2	-	1
Rhode Island.....	39	3,864	1,773	31	-	-	-	1	-	-
Connecticut.....	85	9,054	3,838	462	-	-	-	-	-	1
MIDDLE ATLANTIC.....	381	13,148	49,622	204	-	-	1	32	2	96
New York City.....	131	1,871	14,644	12	-	-	-	17	-	-
New York, up-State.	116	3,625	11,524	157	-	-	1	7	2	88
New Jersey.....	70	2,219	11,691	25	-	-	-	2	-	-
Pennsylvania.....	64	5,433	11,763	10	-	-	-	6	-	8
EAST NORTH CENTRAL...	1,009	50,831	98,383	477	-	9	1	25	7	346
Ohio.....	64	8,506	19,026	82	-	-	-	6	-	165
Indiana.....	29	1,663	22,010	40	-	3	1	9	2	33
Illinois.....	43	2,296	15,772	71	-	5	-	5	-	68
Michigan.....	223	24,855	27,590	204	-	-	-	3	4	37
Wisconsin.....	650	13,511	13,985	80	-	1	-	2	1	43
WEST NORTH CENTRAL...	47	16,025	29,383	117	-	12	-	5	22	492
Minnesota.....	4	614	304	4	-	1	-	-	4	97
Iowa.....	7	8,875	23,042	29	-	-	-	1	9	145
Missouri.....	14	2,488	839	-	-	8	-	4	2	69
North Dakota.....	22	3,490	4,383	56	-	-	-	-	1	24
South Dakota.....	-	109	3	8	-	1	-	-	1	35
Nebraska.....	-	449	812	-	-	-	-	-	-	29
Kansas.....	NN	NN	NN	20	-	2	-	-	5	93
SOUTH ATLANTIC.....	367	23,357	36,730	527	1	27	2	40	6	332
Delaware.....	-	491	369	25	-	-	-	4	-	-
Maryland.....	22	1,014	3,337	120	-	-	-	12	-	3
Dist. of Columbia..	6	63	352	14	-	-	-	-	-	-
Virginia.....	35	3,671	12,377	100	1	5	-	3	2	247
West Virginia.....	187	12,996	8,086	150	-	-	-	1	2	13
North Carolina.....	48	361	1,089	9	-	5	2	12	-	2
South Carolina.....	6	978	4,168	7	-	3	-	4	-	2
Georgia.....	-	596	155	-	-	14	-	2	1	30
Florida.....	63	3,187	6,797	102	-	-	-	2	1	35
EAST SOUTH CENTRAL...	109	13,158	65,829	765	-	15	-	18	9	590
Kentucky.....	13	2,321	18,182	19	-	3	-	6	2	56
Tennessee.....	77	7,536	22,995	684	-	11	-	6	6	522
Alabama.....	3	2,252	18,019	32	-	1	-	3	1	9
Mississippi.....	16	1,049	6,633	30	-	-	-	3	-	3
WEST SOUTH CENTRAL...	226	29,640	69,629	372	1	42	3	28	11	405
Arkansas.....	1	1,079	1,049	1	1	27	2	10	2	55
Louisiana.....	-	90	93	2	-	1	1	5	-	62
Oklahoma.....	2	198	932	13	-	7	-	2	3	73
Texas.....	223	28,273	67,555	356	-	7	-	11	6	215
MOUNTAIN.....	356	18,562	16,818	808	-	10	-	13	1	45
Montana.....	77	3,541	2,663	4	-	1	-	-	-	3
Idaho.....	54	2,573	1,707	62	-	-	-	-	-	-
Wyoming.....	5	827	234	4	-	2	-	1	-	-
Colorado.....	129	5,341	2,926	384	-	-	-	-	-	2
New Mexico.....	11	615	353	169	-	-	-	8	-	10
Arizona.....	41	1,110	6,249	67	-	-	-	4	1	29
Utah.....	39	4,363	1,727	118	-	7	-	-	-	1
Nevada.....	-	192	959	-	-	-	-	-	-	-
PACIFIC.....	267	26,211	59,747	667	1	3	-	23	6	117
Washington.....	14	7,159	19,805	41	-	-	-	2	-	-
Oregon.....	52	3,081	7,661	8	-	-	-	3	1	3
California.....	133	12,353	30,839	529	1	3	-	16	5	112
Alaska.....	4	137	1,057	11	-	-	-	1	-	2
Hawaii.....	64	3,481	385	78	-	-	-	1	-	-
Puerto Rico	67	2,033	4,943	17	-	-	-	3	-	10

Week No. 26 Table 4. DEATHS IN 122 UNITED STATES CITIES FOR WEEK ENDED JULY 3, 1965

(By place of occurrence and week of filing certificate. Excludes fetal deaths)

Area	All Causes		Pneumonia and Influenza All Ages	Under 1 year All Causes	Area	All Causes		Pneumonia and Influenza All Ages	Under 1 year All Causes
	All Ages	65 years and over				All Ages	65 years and over		
NEW ENGLAND:	710	441	34	34	SOUTH ATLANTIC:	1,138	565	50	94
Boston, Mass.-----	248	141	9	14	Atlanta, Ga.-----	111	47	6	13
Bridgeport, Conn.-----	35	22	2	1	Baltimore, Md.-----	282	156	12	18
Cambridge, Mass.-----	23	13	5	-	Charlotte, N. C.-----	38	15	-	4
Fall River, Mass.-----	30	25	1	-	Jacksonville, Fla.-----	64	27	-	7
Hartford, Conn.-----	58	34	-	3	Miami, Fla.-----	68	42	2	4
Lowell, Mass.-----	15	12	-	-	Norfolk, Va.-----	42	21	5	3
Lynn, Mass.-----	23	12	2	2	Richmond, Va.-----	96	51	4	5
New Bedford, Mass.-----	28	16	1	1	Savannah, Ga.-----	30	8	-	3
New Haven, Conn.-----	43	34	-	1	St. Petersburg, Fla.-----	72	50	3	3
Providence, R. I.-----	61	33	3	6	Tampa, Fla.-----	79	35	9	9
Somerville, Mass.-----	12	9	1	1	Washington, D. C.-----	200	80	6	23
Springfield, Mass.-----	51	32	5	1	Wilmington, Del.-----	56	33	3	2
Waterbury, Conn.-----	23	11	-	2					
Worcester, Mass.-----	60	47	5	2	EAST SOUTH CENTRAL:	568	276	19	49
MIDDLE ATLANTIC:	3,326	1,946	104	178	Birmingham, Ala.-----	82	39	-	16
Albany, N. Y.-----	40	12	-	4	Chattanooga, Tenn.-----	58	19	-	6
Allentown, Pa.-----	37	24	1	1	Knoxville, Tenn.-----	33	19	3	3
Buffalo, N. Y.-----	147	86	3	6	Louisville, Ky.-----	136	68	8	9
Camden, N. J.-----	39	26	2	1	Memphis, Tenn.-----	110	56	6	7
Elizabeth, N. J.-----	33	22	1	2	Mobile, Ala.-----	39	17	-	1
Erie, Pa.-----	43	25	2	4	Montgomery, Ala.-----	27	12	2	2
Jersey City, N. J.-----	66	38	5	7	Nashville, Tenn.-----	83	46	-	5
Newark, N. J.-----	109	60	3	14					
New York City, N. Y.-----	1,673	966	48	71	WEST SOUTH CENTRAL:	1,002	527	32	82
Paterson, N. J.-----	42	29	2	3	Austin, Tex.-----	41	24	6	-
Philadelphia, Pa.-----	528	295	9	44	Baton Rouge, La.-----	23	10	2	3
Pittsburgh, Pa.-----	186	107	3	8	Corpus Christi, Tex.-----	26	10	1	3
Reading, Pa.-----	56	41	3	2	Dallas, Tex.-----	134	74	2	7
Rochester, N. Y.-----	112	75	11	5	El Paso, Tex.-----	44	26	2	7
Schenectady, N. Y.-----	27	22	1	-	Fort Worth, Tex.-----	81	52	3	7
Scranton, Pa.-----	25	19	1	2	Houston, Tex.-----	191	89	2	17
Syracuse, N. Y.-----	60	34	-	1	Little Rock, Ark.-----	49	29	1	4
Trenton, N. J.-----	44	27	3	2	New Orleans, La.-----	150	63	4	13
Utica, N. Y.-----	21	14	4	1	Oklahoma City, Okla.-----	82	44	-	9
Yonkers, N. Y.-----	38	24	2	-	San Antonio, Tex.-----	105	65	3	8
					Shreveport, La.-----	39	23	5	3
					Tulsa, Okla.-----	37	18	1	1
EAST NORTH CENTRAL:	2,647	1,495	101	189					
Akron, Ohio-----	69	37	1	8	MOUNTAIN:	371	203	8	22
Canton, Ohio-----	36	21	8	2	Albuquerque, N. Mex.-----	28	16	2	2
Chicago, Ill.-----	751	407	33	56	Colorado Springs, Colo.-----	15	10	1	1
Cincinnati, Ohio-----	160	89	5	13	Denver, Colo.-----	103	46	1	11
Cleveland, Ohio-----	208	127	3	5	Ogden, Utah-----	11	6	1	-
Columbus, Ohio-----	119	60	8	10	Phoenix, Ariz.-----	105	60	2	3
Dayton, Ohio-----	74	35	2	3	Pueblo, Colo.-----	16	8	-	1
Detroit, Mich.-----	366	198	7	26	Salt Lake City, Utah-----	49	31	-	1
Evansville, Ind.-----	32	20	2	3	Tucson, Ariz.-----	44	26	1	3
Flint, Mich.-----	55	24	2	10					
Fort Wayne, Ind.-----	51	29	2	4	PACIFIC:	1,503	874	33	72
Gary, Ind.-----	34	21	4	5	Berkeley, Calif.-----	19	10	-	4
Grand Rapids, Mich.-----	39	24	2	4	Fresno, Calif.-----	41	22	-	1
Indianapolis, Ind.-----	131	75	4	10	Glendale, Calif.-----	29	23	1	-
Madison, Wis.-----	45	19	-	7	Honolulu, Hawaii-----	36	11	1	-
Milwaukee, Wis.-----	180	118	4	11	Long Beach, Calif.-----	63	32	4	2
Peoria, Ill.-----	28	17	2	2	Los Angeles, Calif.-----	476	267	10	29
Rockford, Ill.-----	38	26	4	-	Oakland, Calif.-----	65	29	-	6
South Bend, Ind.-----	49	31	2	1	Pasadena, Calif.-----	43	33	-	1
Toledo, Ohio-----	125	82	3	8	Portland, Oreg.-----	134	86	6	4
Youngstown, Ohio-----	57	35	3	1	Sacramento, Calif.-----	72	39	1	5
					San Diego, Calif.*-----	90	50	2	6
WEST NORTH CENTRAL:	810	512	24	45	San Francisco, Calif.-----	178	116	3	3
Des Moines, Iowa-----	65	43	1	3	San Jose, Calif.-----	36	19	2	2
Duluth, Minn.-----	29	17	-	-	Seattle, Wash.-----	136	83	1	6
Kansas City, Kans.-----	34	17	5	6	Spokane, Wash.-----	47	30	1	2
Kansas City, Mo.-----	141	84	4	6	Tacoma, Wash.*-----	38	24	1	1
Lincoln, Nebr.-----	27	22	1	2					
Minneapolis, Minn.-----	103	66	2	5	Total	12,075	6,839	405	765
Omaha, Nebr.-----	68	41	-	4					
St. Louis, Mo.-----	228	137	5	15	Cumulative Totals				
St. Paul, Minn.-----	68	55	2	4	including reported corrections for previous weeks				
Wichita, Kans.-----	47	30	4	-	All Causes, All Ages -----	331,701			
					All Causes, Age 65 and over-----	188,470			
					Pneumonia and Influenza, All Ages-----	14,506			
					All Causes, Under 1 Year of Age-----	19,559			

*Estimate - based on average percent of divisional total.

July 3, 1965

UNIVERSITY OF FLORIDA



3 1262 08864 2268

POLIOMYELITIS IN TEXAS, 1965

CASE	COUNTY	AGE	SEX	PARALYTIC STATUS	VACCINATION	ONSET	REMARKS
1	Cameron	11	M	P	No	1/26	Type III (serological).
2	Hidalgo	1	M	P	No	March	Admitted to hospital 5/21; history of onset in March.
3	Starr	2	M	P	No	4/26	
4	Dallas	21	F	P	No	4/28	
5	Wise	1½	F	P	No	5/2	Died 5/14.
6	Grayson	5	F	NP	No	5/20	Type II (stool).
7	Sutton	5	F	P	No	5/30	
8	Dallas	16	M	P	Yes	6/22	IPV 3 doses in 1957; IPV 1 dose in 1960.
9	Sutton	6/12	M	NP	No	6/23	

(Cases reported by Dr. Van C. Tipton, Director, Communicable Disease Division, Texas State Department of Health.)

THE MORBIDITY AND MORTALITY WEEKLY REPORT, WITH A CIRCULATION OF 13,000 IS PUBLISHED BY THE COMMUNICABLE DISEASE CENTER, ATLANTA, GEORGIA 30333.

CHIEF, COMMUNICABLE DISEASE CENTER
CHIEF, EPIDEMIOLOGY BRANCH
CHIEF, STATISTICS SECTION
ASST. CHIEF, STATISTICS SECTION
CHIEF, SURVEILLANCE SECTION
EDITOR: MMWR

JAMES L. GODDARD, M.D.
A. D. LANGMUIR, M.O.
R. E. SERFLING, PH.D.
IDA L. SHERMAN, M.S.
D. A. HENDERSON, M.O.
D. J. M. MACKENZIE, M.B., F.R.C.P.E.

IN ADDITION TO THE ESTABLISHED PROCEDURES FOR REPORTING MORBIDITY AND MORTALITY, THE COMMUNICABLE DISEASE CENTER WELCOMES ACCOUNTS OF INTERESTING OUTBREAKS OR CASES. SUCH ACCOUNTS SHOULD BE ADDRESSED TO:

THE EDITOR
MORBIDITY AND MORTALITY WEEKLY REPORT
COMMUNICABLE DISEASE CENTER
ATLANTA, GEORGIA 30333

NOTE: THESE PROVISIONAL DATA ARE BASED ON WEEKLY TELEGRAMS TO THE CDC BY THE INDIVIDUAL STATE HEALTH DEPARTMENTS. THE REPORTING WEEK CONCLUDES ON SATURDAY; COMPILED DATA ON A NATIONAL BASIS ARE RELEASED ON THE SUCCEEDING FRIDAY.

SYMBOLS:---DATA NOT AVAILABLE
- QUANTITY ZERO

THE CONSTRUCTION OF THE MORTALITY CURVES IS DESCRIBED IN VOL. 14, NO. 1.

U. S. DEPARTMENT OF
HEALTH, EDUCATION, AND WELFARE
PUBLIC HEALTH SERVICE
Communicable Disease Center
Atlanta, Georgia 30333

Official Business

UNIV. OF FL. LIB.
DOCUMENTS DEPT.

U.S. DEPOSITORY

POSTAGE AND FEES PAID
U. S. DEPARTMENT OF H. E. W.